


**REMARKS**

The above changes to the claims have been made to delete multiple dependency of the claims, to round out the scope of patent protection being sought, and generally to place the claims in better condition for examination on the merits.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By:



Kenneth B. Leffler

Registration No. 36,075

P.O. Box 1404  
Alexandria, Virginia 22313-1404  
(703) 836-6620

Date: May 31, 2001

**Attachment to Amendment dated May 31, 2001**

**Marked-up claims 1-8**

1. (Amended) Arrangement in large Digital Enhanced Cordless Telecommunication (DECT) systems or similar systems, including several Fixed Parts (FP) connected to the same Local Network (LNW), each of said FP associated with one or more Radio Fixed Parts (RFP), [characterized in] comprising: means for assigning a unique Secondary Access Rights Identity (SARI) to the LNW when the first FP is connected, means within the LNW for automatically assigning a unique Primary Access Rights Identity (PARI) to each Fixed Part (FP) by deriving said PARI from a combination of an Equipment Installer's Code (EIC) included in said SARI and one or more generated bits, means within each Fixed Part (FP) for managing the identities of associated Radio Fixed Parts/base stations (RFP) each to have a Radio Fixed Part Number (RPN) that is unique with the Fixed Part (FP).

2. (Amended) Arrangement as claimed in claim 1, [characterized in] further comprising means within said LNW for selecting new Access Rights Identity (ARI) when a new fixed part (FP) is connected.

3. (Amended) Arrangement as claimed in claim 1, [or 2, characterized in] further comprising means within the FP for selecting a new base station/Radio Fixed Part Identity when a new base station/Radio Fixed Part is connected.

4. (Amended) Arrangement as claimed in claim 1, wherein [any of the preceding claims, characterized in that] said SARI is provided to the network operator by an Equipment Installer, and [that] wherein said Equipment Installer or network operator manually enters said SARI into the network.

5. (Amended) Arrangement as claimed in claim 1, further comprising [any of the preceding claims, characterized in] means for distributing said SARI to all the FPs in the network and for transmitting to all RFPs.

6. (Amended) Arrangement as claimed in claim 1, further comprising [any of the preceding claims, characterized in] means for recalculating and distributing the Handover Length Indicator (HLI) to all FPs in the LNW when a new FP is added or removed.

7. (Amended) Arrangement as claimed in claim 1, wherein [any of the preceding claims, characterized in that] the RPN for each RFP is handled by the individual FPs, and is automatically given to the RFPs when they are connected.

8. (Amended) Arrangement as claimed in claim 1, wherein [any of the preceding claims, characterized in that] the arrangement is implemented as a "plug-and-play" concept.